

## Custom-made hinged shower enclosure

HL / SERIE F

WHERE TO BUY



© Copyright 2024 Vismaravetro srl

Made-to-measure frameless door for recessed shower tray. The free side of the glass is fitted with a seal which compresses against the wall to prevent water leak from the shower enclosure. No adjustment is possible, meaning that the walls of the shower recess must be perfectly plumb. An additional water-stop profile is supplied in the package, which can be used on the edge of the shower tray in order to achieve the best seal. SIS™ simplified installation: a thoroughly tested system with a high-density polystyrene template ensures correct door positioning.

Serie F is a collection of shower enclosures that evokes the origins of this sector, when shower enclosures were essentially only formed by glass and hinges on the wall, but at the same time it encapsulates over 70 years of experience in the sector. We are rather proud of this collection: they are unique shower enclosures in the true sense of the word, because they are custom-made to the millimetre, designed to meet needs, dreams and desires which go beyond the ordinary.

Design Centro Progetti Vismara

---

### DIMENSIONS

L: Min 55 - Max 90 cm  
H: Min 170 - Max 300 cm  
H standard: 210 cm

PLUS

---

BRASS HINGES WITH INWARD AND OUTWARD OPENING

Brass hinges with inward and outward opening. The door is held in the central (closed) position by a spring mechanism, which offers  $\pm 10^\circ$  adjustment.

---

MADE TO MEASURE TO MILLIMETRE PRECISION

All elements of the Serie F Collection are made to measure to the millimetre. We create unique pieces to perfectly meet the dimensional requirements of each individual shower recess. Heights greater than 210 cm or widths greater than 90 cm will require a third hinge. Visit the website [www.vism.it/cmm](http://www.vism.it/cmm) to determine the maximum size of the door (max. height 300 cm).

---

SIS™ SIMPLE INSTALLATION SYSTEM

SIS is a system which simplifies the installation of Serie F Collection doors. This door type normally requires great care when drilling the walls, as if this is not done perfectly, it can compromise the entire shower installation. A special high-density polystyrene template makes installation quick and easy. More information: [www.vism.it/sis](http://www.vism.it/sis)

---

MAXIMUM HEIGHTS OF UP TO 300 CM

Maximum heights of up to 300 cm can be achieved with the addition of a third hinge (more information: [www.vism.it/cmm](http://www.vism.it/cmm)).

---

TPA TREATMENT PREVENTING LIMESCALE

Vismaravetro uses an innovative technology "TPA" for protecting the glass surfaces of shower enclosures. The glass surface is treated with a polymer which limits the adhesive properties of residues such as limescale, grease and soap deposits. The TPA treatment helps with the cleaning and removal of the lime scale deposits and residues from the glass.

---

AVAILABLE WITH BLACK RUBBER SEALS (PROFILES 09 AND 39)

Products realized with Matt Black (09) or Metal Gun (39) finishes are equipped with black rubber seals

## COMPONENTS



### HL

HINGED DOOR FOR RECESS SHOWER ENCLOSURE. MADE TO MEASURE TO MILLIMETRE PRECISION. THE WALLS OF THE RECESS MUST BE OF MASONRY CONSTRUCTION AND PERFECTLY PLUMB. MAXIMUM HEIGHTS OF UP TO 300 CM CAN BE ACHIEVED WITH THE ADDITION OF A THIRD HINGE (MORE INFORMATION: [WWW.VISM.IT/CMM](http://WWW.VISM.IT/CMM)).

### CHARACTERISTICS

- Suitable only for perfectly vertical walls.
- Made to measure to millimetre precision
- SIS™ Simple Installation System
- Brass hinges with inward and outward opening
- Maximum heights of up to 300 cm
- Balloon gasket which provides a seal by compressing

### MATERIALS

- Brass hinges with inward and outward opening
- Balloon gasket which provides a seal by compressing against the recess wall
- Tempered safety glass 8 mm.


### DIMENSIONS

L: Min 55 - Max 90 cm  
H: Min 150 - Max 300 cm  
H standard: 210 cm

## COMPLEMENT ELEMENTS



KNOB AND HANDLES P3Q  
STANDARD



KNOB AND HANDLES P3T



KNOB AND HANDLES P0T




HINGES FHQ - SERIE F  
STANDARD



KNOB AND HANDLES  
M11F

---

## PROFILES



ANODISED PROFILES 09 -  
MATT BLACK




ANODISED PROFILES 21 -  
BRIGHT SILVER




ANODISED PROFILES 23 -  
BRIGHT GOLD




ANODISED PROFILES 31 -  
SATIN SILVER



ANODISED PROFILES 34 -  
MATT COPPER




ANODISED PROFILES 35 -  
MATT GOLD



ANODISED PROFILES 39 -  
METAL GUN




ANODISED PROFILES 61 -  
BRUSHED STEEL




ANODISED PROFILES 84 -  
BOND COPPER



ANODISED PROFILES 33 -  
SATIN GOLD



ANODISED PROFILES 32 -  
SATIN BRONZE



ANODISED PROFILES 38 -  
MOKA



VARNISHED PROFILES 14 -  
WHITE



VARNISHED PROFILES 15 -  
MATT WHITE

GLASSES



GLASS PANE 03 - CLEAR BRONZE



GLASS PANE 04 - CLEAR GLASS



GLASS PANE 06 - REFLECTING GLASS



GLASS PANE 07 - CLEAR GREY



GLASS PANE 08 - SATIN GLASS



GLASS PANE 12 - EXTRA-LIGHT GLASS



SPECIAL TEMPERED SAFETY GLASSES 10 - CRYSTAL EXTRA-REFLEX




SPECIAL TEMPERED SAFETY GLASSES 14 - CRYSTAL EXTRA-LIGHT SATIN



SPECIAL TEMPERED SAFETY GLASSES 19 - GLASS MADRAS "PAVÉ"



SPECIAL TEMPERED SAFETY GLASSES 29 - CRYSTAL MADRAS NUVOLO



SPECIAL TEMPERED SAFETY GLASSES 11 - KATHEDRAL

DECORS



DECORATIONS D50



DECORATIONS D51



DECORATIONS D52




DECORATIONS D60



DECORATIONS D61



DECORATIONS P30 FRAME DECOR



GRAPHIC DECORS D54




GRAPHIC DECORS D55



GRAPHIC DECORS P56




GRAPHIC DECORS P70 NEVERENDING



NATURAL DECORS P13 WATER DROPS



NATURAL DECORS P15 ORGANIC



NATURAL DECORS P16 AZULEJOS



NATURAL DECORS P19 BLOW


OPTIONALS



ACCESSORIES PERSONAL  
GLASS




ACCESSORY FOR GLASS  
CLEANING VIRGOLA




EQUIPPED COLUMN  
AMICO



EQUIPPED COLUMN  
BASKET



SHOWER TRAY ALIAS



SHOWER TRAY VI.P



TREATMENT LIME SCALE  
TREATMENT PREVENTING  
LIMESCALE (TPA)

WHERE TO BUY [→](#)