

Custom-made hinged shower enclosure with in-line fixed glass

H2 / SERIE F

WHERE TO BUY



© Copyright 2024 Vismaravetro srl

Made-to-measure frameless shower enclosure composed of one door and one fixed panel for recessed shower tray.

For over 90 cm wide recess. The width of the door is approximately two thirds the width of the recess, unless specified otherwise. Two magnetic gaskets provide a seal between the door and the fixed panel. No adjustment is possible for the door, meaning that it must be installed on a perfectly plumb wall. The fixed panel offers 15 mm of adjustment. The glass of the fixed panel is positioned directly on the shower tray and sealed in with silicone. An additional water-stop profile is supplied in the package, which can be used on the edge of the shower tray in order to achieve the best seal under the door. SIS™ simplified installation: a thoroughly tested system with a high-density polystyrene template ensures correct door positioning.

Serie F is a collection of shower enclosures that evokes the origins of this sector, when shower enclosures were essentially only formed by glass and hinges on the wall, but at the same time it encapsulates over 70 years of experience in the sector. We are rather proud of this collection: they are unique shower enclosures in the true sense of the word, because they are custom-made to the millimetre, designed to meet needs, dreams and desires which go beyond the ordinary.

Design Centro Progetti Vismara

DIMENSIONS

L: Min 95 - Max 140 cm
H: Min 170 - Max 300 cm
H standard: 210 cm

PLUS

BRASS HINGES WITH INWARD AND OUTWARD OPENING

Brass hinges with inward and outward opening. The door is held in the central (closed) position by a spring mechanism, which offers $\pm 10^\circ$ adjustment.

MADE TO MEASURE TO MILLIMETRE PRECISION

All elements of the Serie F Collection are made to measure to the millimetre. We create unique pieces to perfectly meet the dimensional requirements of each individual shower recess. Heights greater than 210 cm or widths greater than 90 cm will require a third hinge. Visit the website www.vism.it/cmm to determine the maximum size of the door (max. height 300 cm).

MAGNETIC STRIPS

The doors closing is guaranteed by the magnetic strips. The perfect adhesion of the magnetic elements offers the best waterproof.

SIS™ SIMPLE INSTALLATION SYSTEM

SIS is a system which simplifies the installation of Serie F Collection doors. This door type normally requires great care when drilling the walls, as if this is not done perfectly, it can compromise the entire shower installation. A special high-density polystyrene template makes installation quick and easy. More information: www.vism.it/sis

MAXIMUM HEIGHTS OF UP TO 300 CM

Maximum heights of up to 300 cm can be achieved with the addition of a third hinge (more information: www.vism.it/cmm).

TPA TREATMENT PREVENTING LIMESCALE

Vismaravetro uses a innovative technology "TPA" for protecting the glass surfaces of shower enclosures. The glass surface is treated with a polymer which limits the adhesive properties of residues such as limescale, grease and soap deposits. The TPA treatment helps with the cleaning and removal of the lime scale deposits and residues from the glass.

AVAILABLE WITH BLACK RUBBER SEALS
(PROFILES 09 AND 39)

Products realized with Matt Black (09) or Metal Gun (39) finishes are equipped with black rubber seals

COMPONENTS



H2

HINGED DOOR WITH ALLIGNED FIXED PANEL FOR RECESS SHOWER ENCLOSURE. MADE TO MEASURE TO MILLIMETRE PRECISION. THE WALLS OF THE RECESS MUST BE OF MASONRY CONSTRUCTION AND THE DOOR'S SIDE PERFECTLY PLUMB. MAXIMUM HEIGHTS OF UP TO 300 CM CAN BE ACHIEVED WITH THE ADDITION OF A THIRD HINGE (MORE INFORMATION: WWW.VISM.IT/CMM).

CHARACTERISTICS

- Suitable only for perfectly vertical walls.
- Made to measure to millimetre precision
- SIS™ Simple Installation System
- Brass hinges with inward and outward opening
- Maximum heights of up to 300 cm
- In-line fixed panel with 15 mm adjustment
- Magnetic strips

MATERIALS

- Tempered safety glass 8 mm.
- Brass hinges with inward and outward opening


DIMENSIONS

L: Min 95 - Max 140 cm
H: Min 150 - Max 300 cm
H standard: 210 cm

COMPLEMENT ELEMENTS



KNOB AND HANDLES P3Q
STANDARD




KNOB AND HANDLES P3T



KNOB AND HANDLES P0T



HINGES FHQ - SERIE F
STANDARD



KNOB AND HANDLES
M11F

PROFILES



ANODISED PROFILES 09 -
MATT BLACK




ANODISED PROFILES 21 -
BRIGHT SILVER




ANODISED PROFILES 23 -
BRIGHT GOLD




ANODISED PROFILES 31 -
SATIN SILVER



ANODISED PROFILES 34 -
MATT COPPER




ANODISED PROFILES 35 -
MATT GOLD



ANODISED PROFILES 39 -
METAL GUN




ANODISED PROFILES 61 -
BRUSHED STEEL



ANODISED PROFILES 84 -
BOND COPPER



ANODISED PROFILES 33 -
SATIN GOLD



ANODISED PROFILES 32 -
SATIN BRONZE



ANODISED PROFILES 38 -
MOKA



VARNISHED PROFILES 14 -
WHITE




VARNISHED PROFILES 15 -
MATT WHITE

GLASSES



GLASS PANE 03 - CLEAR BRONZE



GLASS PANE 12 - EXTRA-LIGHT GLASS




GLASS PANE 07 - CLEAR GREY



GLASS PANE 06 - REFLECTING GLASS




GLASS PANE 08 - SATIN GLASS



GLASS PANE 04 - CLEAR GLASS



SPECIAL TEMPERED SAFETY GLASSES 10 - CRYSTAL EXTRA-REFLEX



SPECIAL TEMPERED SAFETY GLASSES 19 - GLASS MADRAS "PAVÉ"



SPECIAL TEMPERED SAFETY GLASSES 29 - CRYSTAL MADRAS NUVOLO



SPECIAL TEMPERED SAFETY GLASSES 14 - CRYSTAL EXTRA-LIGHT SATIN



SPECIAL TEMPERED SAFETY GLASSES 11 - KATHEDRAL

DECORS



DECORATIONS D50



DECORATIONS D51



DECORATIONS D52




DECORATIONS D60



DECORATIONS D61



DECORATIONS P30 FRAME DECOR



GRAPHIC DECORS D54



GRAPHIC DECORS D55



GRAPHIC DECORS P56




GRAPHIC DECORS P70 NEVERENDING



NATURAL DECORS P13 WATER DROPS



NATURAL DECORS P15 ORGANIC



NATURAL DECORS P16 AZULEJOS



NATURAL DECORS P19 BLOW

OPTIONALS



ACCESSORIES PERSONAL
GLASS




ACCESSORY FOR GLASS
CLEANING VIRGOLA



EQUIPPED COLUMN
AMICO



EQUIPPED COLUMN
BASKET



SHOWER TRAY ALIAS



SHOWER TRAY VI.P



TREATMENT LIME SCALE
TREATMENT PREVENTING
LIMESCALE (TPA)

WHERE TO BUY →