

PIVOT SHOWER ENCLOSURE

KA+KF+KC / LINK

WHERE TO BUY



© Copyright 2024 Vismaravetro srl

Semi-frameless shower enclosure for 3-sided shower tray, with a pivot door (180°) with up&down movement and two side fixed panels.

Link is the result of a research aimed at integrating lines and space to the continuity between function and structure. A superior technological evolution, pure expression of the design in its leanest and less permissive definition: less is more, or even better, if there is nothing more to be taken away then there is nothing more to be added.

Design Centro Progetti Vismara

DIMENSIONS

L: Min 50 - Max 100 cm
H: Min 150 - Max 215 cm
H standard: 200 cm

PLUS

<p>CLOSING WITH MAGNETIC SEALS ASSEMBLED ON ALLUMINIUM PROFILES</p> <p>Closing with magnetic seals applied to the aluminium profiles along the glass section with minimal dimensions.</p>	<p>AVAILABLE WITH BLACK RUBBER SEALS (PROFILES 09, 38 AND 39)</p> <p>Products realized with Matt Black (09), Moka (38) or Metal Gun (39) finishes are equipped with black rubber seals</p>	<p>S.M.F. (EASILY MOUNTING SYSTEM)</p> <p>It is a patented system combined to an innovative extensibility solution thus allowing an ideal panel positioning and at the same time avoiding the water leak.</p>
<p>CUSTOM MADE (CM BY CM)</p> <p>Vismaravetro's shower enclosures can be customized, cm by cm. to better satisfy all the needs of any architectural situation</p>	<p>TPA TREATMENT PREVENTING LIMESCALE</p> <p>Vismaravetro uses a innovative technology "TPA" for protecting the glass surfaces of shower enclosures. The glass surface is treated with a polymer which limits the adhesive properties of residues such as limescale, grease and soap deposits. The TPA treatment helps with the cleaning and removal of the lime scale deposits and residues from the glass.</p>	<p>LIFTING MECHANISM TO MOVE UP AND DOWN THE DOOR</p> <p>Thanks to a special lifting mechanism, when the door opens and closes, it moves up and down thus facilitating movement.</p>
<p>CERTIFIED PRODUCT</p> <p>Product conforming to EN 14428:2018 with CE marking. Vismaravetro shower enclosures are manufactured in conformity with the European standards.</p>	<p>ADDITIONAL AD15 PROFILES (ON DEMAND)</p> <p>Possibility to add (on demand) extra AD15 profiles to augment the the dimension of 15mm each</p>	<p>HORIZONTAL AND VERTICAL ADJUSTMENT, AFTER INSTALLATION ACCOMPLISHED</p> <p>Horizontal and vertical adjustment after installation accomplished, for an easy final regulation before sealing.</p>
<p>EXTENSION OF 15 MM WITHOUT WALL PROFILE</p> <p>Extension of 15 mm without wall profile, maintaining unchanged its aesthetic effect.</p>	<p>ONLY OUTWARD OPENING</p>	

COMPONENTS



KA

SEMI-FRAMLESS PIVOTING (180°) SHOWER DOOR, WITH UP&DOWN MOVEMENT. IT CAN BE ASSEMBLED WITH A FIXED ELEMENT KF OR WITH ANOTHER KA TO OBTAIN A CORNER SHOWER ENCLOSURE.

CHARACTERISTICS

- S.M.F. (easily mounting system)
- Lifting mechanism to move up and down the door
- Certified product
- Horizontal and vertical adjustment, after installation accomplished
- Extension of 15 mm without wall profile
- Additional AD15 profiles (on demand)
- Available with black rubber seals (profiles 09, 38 and 39)
- Only external opening if it is combined to the fix element KF.
- Inside and outside opening for KA+KA, only external for KA+KF
- Magnetic closing with PVC magnetic seals
- Closing with magnetic seals assembled on alluminium profiles

MATERIALS

- Tempered safety glass 6 mm.
- Anodised or enamelled aluminium profile.

DIMENSIONS

L: Min 50 - Max 100 cm
H: Min 150 - Max 215 cm
H standard: 200 cm



KF

FIXED PANEL, CAN BE COMBINED WITH KA OR KZ DOOR TO OBTAIN A CORNER SHOWER ENCLOSURE.

CHARACTERISTICS

- Certified product
- Horizontal and vertical adjustment, after installation accomplished
- Extension of 15 mm without wall profile
- Additional AD15 profiles (on demand)
- Available with black rubber seals (profiles 09, 38 and 39)
- Closing with magnetic seals assembled on alluminium profiles
- S.M.F. (easily mounting system)

MATERIALS

- Tempered safety glass 8 mm.
- Anodised or enamelled aluminium profile.

DIMENSIONS

L: Min 30 - Max 140 cm
H: Min 150 - Max 215 cm
H standard: 200 cm



KC

FIXED ELEMENT FOR CORNER OR 3 SIDED SHOWER ENCLOSURE.

CHARACTERISTICS

- Certified product
- Horizontal and vertical adjustment, after installation accomplished
- Extension of 15 mm without wall profile
- Additional AD15 profiles (on demand)
- It can be assembled with KB - K2 - K3
- S.M.F. (easily mounting system)

MATERIALS

- Tempered safety glass 8 mm.
- Anodised or enamelled aluminium profile.

DIMENSIONS

L: Min 50 - Max 140 cm
H: Min 150 - Max 215 cm
H standard: 200 cm

COMPLEMENT ELEMENTS




KNOB AND HANDLES
M16K STANDARD



FIXING BRACKET Z




HARDENING ROD Z



KNOB AND HANDLES M7L

PROFILES



ANODISED PROFILES 09 -
MATT BLACK




ANODISED PROFILES 21 -
BRIGHT SILVER




ANODISED PROFILES 23 -
BRIGHT GOLD




ANODISED PROFILES 31 -
SATIN SILVER



ANODISED PROFILES 32 -
SATIN BRONZE



ANODISED PROFILES 33 -
SATIN GOLD




ANODISED PROFILES 34 -
MATT COPPER



ANODISED PROFILES 35 -
MATT GOLD




ANODISED PROFILES 38 -
MOKA




ANODISED PROFILES 39 -
METAL GUN




ANODISED PROFILES 61 -
BRUSHED STEEL



ANODISED PROFILES 84 -
BOND COPPER




VARNISHED PROFILES 05 -
RED




VARNISHED PROFILES 07 -
YELLOW




VARNISHED PROFILES 10 -
PERGAMON



VARNISHED PROFILES 11 -
GREY



VARNISHED PROFILES 12 -
GREEN



VARNISHED PROFILES 13 -
LIGHT BLU



VARNISHED PROFILES 14 -
WHITE



VARNISHED PROFILES 15 -
MATT WHITE

GLASSES



GLASS PANE 01 - OBSCURE GLASS



GLASS PANE 03 - CLEAR BRONZE



GLASS PANE 04 - CLEAR GLASS



GLASS PANE 06 - REFLECTING GLASS




GLASS PANE 07 - CLEAR GREY



GLASS PANE 08 - SATIN GLASS




GLASS PANE 12 - EXTRA-LIGHT GLASS




GLASS PANE 05 - TIMELESS@




SPECIAL TEMPERED SAFETY GLASSES 10 - CRYSTAL EXTRA-REFLEX



SPECIAL TEMPERED SAFETY GLASSES 11 - KATHEDRAL



SPECIAL TEMPERED SAFETY GLASSES 14 - CRYSTAL EXTRA-LIGHT SATIN



SPECIAL TEMPERED SAFETY GLASSES 29 - CRYSTAL MADRAS NUVOLO

DECORS



DECORATIONS D50



DECORATIONS D51




DECORATIONS D52




DECORATIONS D60



DECORATIONS D61




GRAPHIC DECORS D54



GRAPHIC DECORS D55



GRAPHIC DECORS P56



GRAPHIC DECORS P70 NEVERENDING

OPTIONALS



ACCESSORIES PERSONAL
GLASS



ACCESSORIES RADIATING
WALL




ACCESSORY FOR GLASS
CLEANING VIRGOLA



EQUIPPED COLUMN
AMICO



EQUIPPED COLUMN
BASKET



SHOWER TRAY VI.P



TREATMENT LIME SCALE
TREATMENT PREVENTING
LIMESCALE (TPA)

WHERE TO BUY [→](#)